

HIGHPER

HIGH PERFORMANCE EXPERT

ELECTRIC ATV CHAIN DRIVE CATALOG 2024

Hangzhou High Per Corporation Limited

Web: www.high-per.com

Add: 3-2-1701 KOC Xiaoshan District Hangzhou China

Email: charlie@high-per.com, maya@high-per.com



ATV-11EA

HIGHPER

MOTOR:

BRUSH MOTOR CHAIN DRIVE

MAX SPEED:

35KM/H

FRONT SHOCK:

DOUBLE A SWING ARMS

REAR SHOCK:

MONO SHOCK

BRAKE:

MECHANICAL DISK BRAKE

WHEELS:

4-10-6 / 13x5.0-6

WHEELBASE:

730MM

SEAT HEIGHT:

450MM

DIMENSIONS:

1100x700x730MM

PACKAGE SIZE:

1040x630x520MM



ATV-13EA

HIGHPER

MOTOR:

BRUSHED MOTOR CHAIN DRIVE

MAX SPEED:

27KMH

FRONT SHOCK:

DOUBLE A SWING ARMS

REAR SHOCK:

MONO SHOCK

BRAKE:

MECHANICAL DISC BRAKE

WHEELS:

14x4.60-6

WHEELBASE:

730MM

SEAT HEIGHT:

505MM

DIMENSIONS:

1147x700x700MM

PACKAGE SIZE:

1040x630x500MM



FRONT: 14x4.60-6

SEAT HEIGHT: 505MM

WHEELBASE: 730MM

REAR: 14x4.60-6



ATV-3EA HIGHPER

MOTOR:

1000W 36V(48V OPTIONAL)BRUSH MOTOR

MAX SPEED:

20-25KM/H

FRONT SHOCK:

DOUBLE MECHANICAL DAMPER

REAR SHOCK:

MONO SHOCK ABSORBER

BRAKE:

DOUBLE MECHANICAL DAMPER / MONO SHOCK ABSORBER

WHEELS:

4.10-6 / 13x5-6

WHEELBASE:

700MM

SEAT HEIGHT:

470MM

DIMENSIONS:

1180x700x670MM

PACKAGE SIZE:

1040x630x525MM



ATV-9E

HIGHPER

MOTOR:

1000W6EV OR 1300W4EV NIOODYMIUM MAGNET DC MOTOR

MAX SPEED:

28KM/H

FRONT SHOCK:

HYDRAULIC INVERTED FORK

REAR SHOCK:

MONO SHOCK

BRAKE:

MECHANICAL DISC BRAKE / HYDRAULIC BRAKE

WHEELS:

4.10-6 / 13x5-7

WHEELBASE:

810MM

SEAT HEIGHT:

550MM

DIMENSIONS:

1165x725x765MM

PACKAGE SIZE:

1040x630x525MM



ATV-6E

HIGHPER

MOTOR:

500W/800W/1000W 36V/BRUSH MOTOR

MAX SPEED:

25-30KM/H

FRONT SHOCK:

HYDRAULIC INVERTED FORK

REAR SHOCK:

MONO SHOCK

BRAKE:

DISC BRAKE

WHEELS:

4.10-6 / 13x5-6

WHEELBASE:

700MM

SEAT HEIGHT:

500MM

DIMENSIONS:

1030x610x670MM

PACKAGE SIZE:

995x620x460MM



ATV-7E

HIGHPER

MOTOR:

500W/800W/1000W 36V/BRUSH MOTOR

MAX SPEED:

25-30KM/H

FRONT SHOCK:

HYDRAULIC INVERTED FORK

REAR SHOCK:

MONO SHOCK

BRAKE:

DISC BRAKE

WHEELS:

4.10-6 / 13x5-6

WHEELBASE:

720MM

SEAT HEIGHT:

500MM

DIMENSIONS:

1030x560x730MM

PACKAGE SIZE:

1020x580x440MM



ATV-8E

HIGHER

MOTOR:

800W/1000W 36V BRUSH MOTOR

MAX SPEED:

25KM/H

FRONT SHOCK:

HYDRAULIC INVERTED FORK

REAR SHOCK:

MONO SHOCK

BRAKE:

DISC BRAKE

WHEELS:

4.10-6 / 13x5-6

WHEELBASE:

700MM

SEAT HEIGHT:

480MM

DIMENSIONS:

1000x610x630MM

PACKAGE SIZE:

990x580x500MM



ATV-1E

HIGHPER

MOTOR:

500W/800W/1000W/BRUSH MOTOR

MAX SPEED:

20-25KM/H

FRONT SHOCK:

HYDRAULIC INVERTED FORK

REAR SHOCK:

MONO SHOCK

BRAKE:

MECHANICAL BRAKE / DISC

WHEELS:

4.10-4

WHEELBASE:

720MM

SEAT HEIGHT:

480MM

DIMENSIONS:

1020x550x650MM

PACKAGE SIZE:

995x580x440MM



ATV-8EA

HIGHPER

MOTOR:

250W BRUSH MOTOR

MAX SPEED:

27KMH

FRONT SHOCK:

/

REAR SHOCK:

MONO SHOCK ABSORBER

BRAKE:

MECHANICAL DISC BRAKE

WHEELS:

4.10 / 3.50-6

WHEELBASE:

680MM

SEAT HEIGHT:

430MM

DIMENSIONS:

1015x550x650MM

PACKAGE SIZE:

1065x560x510MM

