


HIGHPER

HIGH PERFORMANCE EXPERT

GASOLINE ATV 150-300CC CATALOG 2024

Hangzhou High Per Corporation Limited

 www.high-per.com

 3-2-1701 100 Xiaoshan District Hangzhou China

 charise@high-per.com / maya@high-per.com



ATV020PRO

HIGHER

ENGINE:

162FM(200CC)

MAX SPEED:

≥60KM/H

FRONT SHOCK:

INDEPENDENT DOUBLE SHOCK ABSORBER

REAR SHOCK:

SINGLE SHOCK ABSORBER

BRAKE:

DISC BRAKE

WHEELS:

23x7-10 / 22x10-10

WHEELBASE:

1080MM

SEAT HEIGHT:

780MM

DIMENSIONS:

1650x980x1110MM

PACKAGE SIZE:

1450x980x660M



FRONT: 23x7-10

SEAT HEIGHT: 780MM

WHEELBASE: 1080MM

REAR: 22x10-10



ATV015A HIGHPER

ENGINE:

150CC 4-STROKE CVT, SINGLE CYLINDER, AIR-COOLING

MAX SPEED:

60KM/H

FRONT SHOCK:

HYDRAULIC SUSPENSIONS

REAR SHOCK:

HYDRAULIC SUSPENSIONS

BRAKE:

HYDRAULIC DISC BRAKES

WHEELS:

19x7-8/18x9 5-8

WHEELBASE:

1100MM

SEAT HEIGHT:

760MM

DIMENSIONS:

1680x985x970MM

PACKAGE SIZE:

1380x900x640MM



ATV015B

HIGHPER

ENGINE:

200CC 4-STROKE CVT, SINGLE CYLINDER, AIR-COOLING

MAX SPEED:

65KM/H

FRONT SHOCK:

HYDRAULIC SUSPENSIONS

REAR SHOCK:

HYDRAULIC SUSPENSIONS

BRAKE:

HYDRAULIC DISC BRAKES

WHEELS:

21x7-10 / 20x10-9

WHEELBASE:

1100MM

SEAT HEIGHT:

800MM

DIMENSIONS:

1680x1020x1500MM

PACKAGE SIZE:

1380x900x640MM



ATV010

HIGHPER

ENGINE:

1500CC GY6 CVT WITH REVERSE

MAX SPEED:

60-70KM/H

FRONT SHOCK:

HYDRAULIC SPRING

REAR SHOCK:

HYDRAULIC SPRING

BRAKE:

DRUM BRAKE / DISC BRAKE

WHEELS:

22x10-10 / 23x7-10

WHEELBASE:

1180MM

SEAT HEIGHT:

800MM

DIMENSIONS:

1790x1100x1100MM

PACKAGE SIZE:

1470x850x870MM



ATV011

HIGHPER

ENGINE:

1500CC GY6 CVT WITH REVERSE

MAX SPEED:

60-70KM/H

FRONT SHOCK:

DOUBLE HYDRAULIC SHOCK

REAR SHOCK:

MONO HYDRAULIC SHOCK

BRAKE:

DRUM BRAKE / HYDRAULIC BRAKE

WHEELS:

22x10-10 / 23x7-10

WHEELBASE:

1180MM

SEAT HEIGHT:

800MM

DIMENSIONS:

1790x1100x1100MM

PACKAGE SIZE:

1520x870x850MM



DODGE HIGHPER

ENGINE:

GY6 4 STROKE AIR COOLED

MAX SPEED:

60KM/H

FRONT SHOCK:

HYDRAULIC SHOCK ABSORBER WITH SINGLE-DAMPING

REAR SHOCK:

HYDRAULIC SHOCK ABSORBER WITH SINGLE-DAMPING

BRAKE:

HYDRAULIC DISC BRAKE

WHEELS:

23x7-10 / 22x10-10

WHEELBASE:

1240MM

SEAT HEIGHT:

820MM

DIMENSIONS:

1790x1100x1100MM

PACKAGE SIZE:

1450x850x780MM



ATV013

HIGHPER

ENGINE:

150-200CC GY6 4 STROKE AIR COOLED

MAX SPEED:

60KM/H

FRONT SHOCK:

HYDRAULIC SHOCK ABSORBER

REAR SHOCK:

HYDRAULIC SHOCK ABSORBER

BRAKE:

DRUM BRAKE / DUAL HYDRAULIC DISC BRAKE

WHEELS:

23x7-10 / 22x10-10

WHEELBASE:

1130MM

SEAT HEIGHT:

830MM

DIMENSIONS:

1800x1050x1038MM

PACKAGE SIZE:

1450x850x830MM



ATV020 HIGHPER

ENGINE:

85300, 275ML, 4-STROKE, WATER COOLED, 8-STAR

MAX SPEED:

>60KM/H

FRONT SHOCK:

MADISON-STYLE INDEPENDENT SUSPENSION

REAR SHOCK:

MONO HYDRAULIC SHOCK

BRAKE:

HYDRAULIC BRAKES

WHEELS:

25x8-12 / 25x10-12

WHEELBASE:

1300MM

SEAT HEIGHT:

780MM

DIMENSIONS:

1940x1090x915MM

PACKAGE SIZE:

1950x1100x800MM

