



HIGHPER

HIGH PERFORMANCE EXPERT

GASOLINE GO KART CATALOG 2024

Hangzhou High Per Corporation Limited

Web: www.high-per.com

Add: 3-2-1701 IOC Xiaoshan District Hangzhou China

Email: charlie@high-per.com, maya@high-per.com

GO KART

GK 008



ENGINE: 98CC FOUR-STROKE
AIR COOLING PULL START
TANK VOLUME: 2.3L
TRANSMISSION: FORWARD GEAR,
DRY AUTOMATIC CLUTCH
WHEELS FRONT: 14*4.10-6
WHEELS REAR REAR: 14*5.0-6
BRAKE SYSTEM: REAR HYDRAULIC DISC BRAKES
DISPLAY: BATTERY INDICATOR
MAX SPEED: 30KM/H
MAX LOAD CAPACITY: 68KGS
SEAT HEIGHT: 740MM
WHEELBASE: 925MM
MIN GROUND CLEARANCE: 60MM
GROSS WEIGHT: 84.5KGS
NET WEIGHT: 73KGS
OVERALL SIZE(L*W*H): 1550*870*1160MM
PACKING SIZE: 1380*820*530 MM
LOADING QUANTITY:
44PCS/20FT 110PCS/40HQ

HIGHER



FRONT 14*4.10-6

REAR 14*5.0-6

HYDRAULIC DISC BRAKE

WHEELBASE:925MM



GO KART

GK 014



ENGINE: 4-STROKE, SINGLE CYLINDER
AIR COOLED 163CC, JF168
START: ELECTRIC START & PULL START
TANK VOLUME: 3.6L
BATTERY: YTX12-BS 12V10AH
TRANSMISSION: AUTOMATIC CTV
FRAME MATERIAL: STEEL
FINAL DRIVE: CHAIN / DUAL WHEEL DRIVE
WHEELS FRONT: 145*70-6
WHEELS REAR: 16*6-8
BRAKE SYSTEM: REAR HYDRAULIC
DISC BRAKE

MAX SPEED: 35KM/H
MAX LOAD CAPACITY: 81KGS(180LBS)
SEAT HEIGHT: 360MM
WHEELBASE: 1110MM
MIN GROUND CLEARANCE: 90MM
OVERALL SIZE(L*W*H): 1590*910*1250 MM
PACKING SIZE: 1750*1145*635 MM
LOADING QUANTITY:
18PCS/20FT 52PCS/40HQ

HIGHER



FRONT 145/70-6

REAR 16*6-8

HYDRAULIC DISC BRAKE

WHEELBASE-1110MM



GO KART

GK003GT



ENGINE: 4-STROKE, SINGLE CYLINDER, AIR COOLED
TANK VOLUME: 2.25 GAL (8.516)
BATTERY: 12V 10AH
TRANSMISSION: AUTOMATIC CTV WITH REVERSE
FRAME MATERIAL: IRON
FINAL DRIVE: CHAIN / DUAL WHEEL DRIVE
WHEELS: 20*7-10 / 22*10-10
FRONT&REAR BRAKE SYSTEM:
BOTH HYDRAULIC BRAKES, DISC
FRONT&REAR SUSPENSION:
DUAL A-ARM / SWING-ARM
MAX SPEED: 43.5MPH (70KM/H)
MAX LOAD CAPACITY: 500 LBS (227KG)
SEAT HEIGHT: 13.8 INCHES (35.05CM)
WHEELBASE: 61 INCHES (1.55M)
MIN GROUND CLEARANCE:
6.7 INCHES (17.02CM)
BIKE SIZE:
89*53.1*57.5 INCHES (2.16*1.35*1.46M)
PACKING SIZE: 2250*1150*660
QTY/CONTAINER 20FT/40HQ:
40UNITS / 40HQ

HIGHER



GO KART

GK 012



ENGINE:
JL1P57F, 4-STROKE, SINGLE CYLINDER, AIR COOLED JL1P57F
TANK VOLUME: 10L
BATTERY: YTX12-BS 12V10AH
TRANSMISSION: AUTOMATIC CTV
FRAME MATERIAL: STEEL
FINAL DRIVE: CHAIN / DUAL WHEEL DRIVE
WHEELS: 22*7-10 / 22*10-10
FRONT&REAR BRAKE SYSTEM: DISK BRAKE
FRONT&REAR SUSPENSION: ORDINARY
FRONT LIGHT: Y
MAX SPEED: 60KM/H
MAX LOAD CAPACITY: 500LBS
SEAT HEIGHT: 470MM
WHEELBASE: 1800MM
MIN GROUND CLEARANCE: 150MM
BIKE SIZE: 2340*1400*1480MM
PACKING SIZE: 2300*1200*660MM
QTY/CONTAINER 20FT/40HQ:
40UNITS / 40HQ

HIGHER



GO KART

GK 013



ENGINE TYPE: 4-STROKE SINGLE CYLINDER
PACKAGE SIZE: 223*165*120CM
DISPLACEMENT: 278CC
MAX POWER: 18HP/6500RPM
MAX TORQUE: 22NM/5000RPM
FUEL SYSTEM: CARBURETED
LOADING QTY: 12PCS/20'GP 24PCS/40'GP
COOLING: WATER-COOLED
STARTER: ELECTRIC STARTER
TRANSMISSION: CVT WITH F/N/R
FINAL DRIVE: CHAIN/ REAR WHEEL DRIVE
FRONT: DUAL-A ARM INDEPENDENT
REAR: 3 LINKS INDEPENDENT
FRONT&REAR: 4-WHEEL HYDRAULIC DISC
FRONT: 25*8-12 & 12*6ALUMINIUM RIM
REAR: 25*10-12 & 12*9ALUMINIUM RIM
OVERALL SIZE: 2620*1650*1620CM
WHEELBASE: 194CM
DRY WEIGHT: 320KG
GROUND CLEARANCE: 30CM
FUEL CAPACITY: 35L
SEAT: 2 SEAT
MAX SPEED: 60KM/H

HIGHER

FRONT 145/70-6



REAR 16*6-8

HYDRAULIC DISC BRAKE

WHEELBASE:1110MM



GO KART

GK 016



ENGINE TYPE: 4-STROKE SINGLE CYLINDER
PACKAGE SIZE: 223*165*120CM
DISPLACEMENT: 278CC
MAX POWER: 18HP/6500RPM
MAX TORQUE: 22NM/5000RPM
FUEL SYSTEM: CARBURETED
LOADING QTY: 12PCS/20'GP 24PCS/40'GP
COOLING: WATER-COOLED
STARTER: ELECTRIC STARTER
TRANSMISSION: CVT WITH F/N/R
FINAL DRIVE: CHAIN/ REAR WHEEL DRIVE
FRONT: DUAL-A ARM INDEPENDENT
REAR: 3-LINKS INDEPENDENT
FRONT&REAR: 4-WHEEL HYDRAULIC DISC
FRONT: 25*8-12 & 12*6ALUMINIUM RIM
REAR: 25*10-12 & 12*9ALUMINIUM RIM
OVERALL SIZE: 2620*1650*1620CM
WHEELBASE: 194CM
DRY WEIGHT: 320KG
GROUND CLEARANCE: 30CM
FUEL CAPACITY: 35L
SEAT: 2 SEAT
MAX SPEED: 60KM/H

HIGHER



FRONT 25*8-12

HYDRAULIC DISC BRAKE


REAR 25*10-12

WHEELBASE: 1940MM



GO KART

UTV 001



Engine type: JL 4-stroke, single cylinder, air cooled
Displacement: 150cc (Wangye 200cc CVT engine optional)
Max output: 10hp/2800rpm
Max speed: 60km/h
Starting system: Electric start
Battery: 12v10Ah
Carburetor: PD24J
Engine oil: SAE 10W/40
Clutch: CTV
Gears: D-N-R
Driveline / Driving wheel:
Chain drive / Dual rear wheels drive
Suspension, F / R:
Dual A-arm / Thru-shaft with shocks dual A-arm
Brakes, F / R: Hydraulic disc brake
Tires, F / R: 22*7-10/22*10-10
Fuel capacity: 1.75 gal (6.6L)
Weight, G.W. / N.W.: 295 kg / 240 kg
Max loading: 500 lbs (227kg)
Wheelbase: 1800 mm
O.A.L x W x H: 2480*1220*1520 mm
Height to seat: 530 mm
Min. ground clearance: 160 mm
Carton size: 2300*1250*870mm
Container loading:
8pcs/20FT, 27pcs/40HQ

FRONT 145/70-6

REAR 16*6-8

HYDRAULIC DISC BRAKE

WHEELBASE:1110MM



HIGHER



GO KART

GK 002B



ENGINE: 4-STROKE, SINGLE CYLINDER, AIR COOLED
TANK VOLUME: 1 GAL (3.785)
BATTERY: 12V 9AH
TRANSMISSION: AUTOMATIC CTV
FRAME MATERIAL: IRON
FINAL DRIVE: CHAIN / DUAL WHEEL DRIVE
WHEELS: 16X6-8 / 16X7-8
FRONT&REAR BRAKE SYSTEM:
NO / HYDRAULIC/ BRAKE DISC
FRONT&REAR SUSPENSION:
DUAL A-ARM / DOUBLE OIL DAMPED SHOCK
FRONT LIGHT: Y
REAR LIGHT: N
DISPLAY: N
OPTIONAL: N
MAX SPEED: 31MPH (49.89KM/H)
MAX LOAD CAPACITY: 400 LBS (182KG)
SEAT HEIGHT: 10.2 INCHES (25.91CM)
WHEELBASE: 48.4 INCHES (1.23M)
MIN GROUND CLEARANCE:
2.8 INCHES (7.11CM)
BIKE SIZE:
5835X36X43 INCHES (1.70X1.10X1.30M)
PACKING SIZE: 1800*1100*660
QTY/CONTAINER 20FT/40HQ:
52UNITS / 40HQ

HIGHER




FRONT 145/70-6

WHEELBASE-1110MM

HYDRAULIC DISC BRAKE

REAR 16*6-8



GO KART

GK011



ENGINE: JF210,4-STROKE,SINGLE CYLINDER,AIR COOLED
TANK VOLUMN: 3.6L
BATTERY: YTX12-BS 12V10AH
TRANSMISSION: AUTOMATIC CTV
FRAME MATERIAL: STEEL
FINAL DRIVE: CHAIN / DUAL WHEEL DRIVE
WHEELS: 18*7.8 /18*7.8
FRONT&REAR BRAKE SYSTEM: REAR DISC BRAKE
FRONT&REAR SUSPENSION:
DUAL A-ARM /
THRU-SHAFT WITH DUAL SHOCKS AND DUAL A-ARM
FRONT LIGHT: Y
MAX SPEED: 45KM/H
MAX LOAD CAPACITY: 400.LBS
SEAT HEIGHT: 400MM
WHEELBASE: 1450MM
MIN GROUND CLEARANCE: 100MM
BIKE SIZE: 1950*1290*1430 MM
PACKING SIZE: 2000*1150*660 MM
QTY/CONTAINER 20FT/40HQ:
48UNITS / 40HQ

HIGHER




FRONT 18*7.8

REAR 18*7.8

DISC BRAKE

WHEELBASE:1450MM



GO KART

GK 008(2)



ENGINE: AUTOMATIC WITH REVERSE GEAR 110CC
3 GEARS WITH REVERSE GEAR 110CC
3 GEARS WITH REVERSE GEAR 125CC
3 GEARS WITH REVERSE GEAR 150CC
ENGINE TYPE: SINGLE CYLINDER, AIR-COOLING, 4-STROKE
IGNITION MODE: CDI
TRANSMISSION: MODE
CHAIN
MIN.GROUND CLEARANCE: 100MM
START MODE: ELECTRIC
POWER SOURCE: 12V,9AH
FUEL TANK CAPACITY: 9 L
MAX SPEED:
110CC+60KM/H 125CC+70KM/H 150CC+80KM/H
WHEELS: 4.80-R8
BREAK TYPE(F/R): DISC/DISC
WHEELBASE: 1240MM
COLOR: RMY GREEN
PRODUCT DIMENSIONS: 2000X900X740MM
PACKAGE CARTON DIMENSIONS:
1915X1065X545MM
(4 WHEELS DISASSEMBLED)
CONVEYANCE: QTY/20' GP-24PCS
QTY/40' GP-48PCS
QTY/40' HQ-56PCS

(18*9.5-8 FOR OPTION)

HIGHER



HYDRAULIC DISC BRAKE

HYDRAULIC DISC BRAKE

WHEELBASE: 1240MM



GO KART

GK 005

HIGHER

ENGINE: 79.50CC OHV, 4 STROKE ENGINE
TANK VOLUMN: 1.8L
TRANSMISSION: AUTOMATIC WITHOUT REVERSE
FRAME MATERIAL: STEEL
FINAL DRIVE: CHAIN DRIVE
WHEELS: 13*5.00-6/13*5.00-6
FRONT&REAR BRAKE SYSTEM: DISK BRAKE
MAX SPEED: 35KM/H
MAX LOAD CAPACITY: 90KGS
WHEELBASE: 99CM
MIN GROUND CLEARANCE: 140MM
GROSS WEIGHT: 80KGS
NET WEIGHT: 65KGS
BIKE SIZE: 133*81*93CM
PACKING SIZE: 140X85.5X63CM
QTY/CONTAINER 20FT/40HQ: 30/68


(18*9.58 FOR OPTION)



FRONT 4.80-R8
(18*9.58 FOR OPTION)

HYDRAULIC DISC BRAKE

WHEELBASE: 1240MM



GO KART

GK 001B



ENGINE: 4-STROKE, SINGLE CYLINDER, AIR COOLED
TANK VOLUME: 1.2 GAL (4.542l)
BATTERY: 12V 9AH
TRANSMISSION: AUTOMATIC
FRAME MATERIAL: IRON
FINAL DRIVE: CHAIN / DUAL WHEEL DRIVE
WHEELS: 145X70-6 / 145X70-6
FRONT&REAR BRAKE SYSTEM: NO / DISC
FRONT&REAR SUSPENSION:
DUAL A-ARM / DOUBLE OIL DAMPED SHOCK
FRONT LIGHT: Y
REAR LIGHT: N
DISPLAY: N
OPTIONAL: N
MAX SPEED: 12.4MPH (19.31KM/H)
MAX LOAD CAPACITY: 400 LBS (182KG)
SEAT HEIGHT: 13.6 INCHES (34.5CM)
WHEELBASE: 42.6 INCHES (1.08M)
MIN GROUND CLEARANCE:
4.02 INCHES (10.2CM)
GROSS WEIGHT: 280 LBS (127KG)
NET WEIGHT: 232 LBS (105KG)
BIKE SIZE: 1.49X0.97X1.24M
PACKING SIZE: 1500X800X520
QTY/CONTAINER 20FT/40HQ:
115UNITS / 40HQ

HIGHER



FRONT 145/70-6

REAR 16*6-8

HYDRAULIC DISC BRAKE

WHEELBASE:1110MM

